	TECHNICAL COMPLIANCE FORM			
Ref: Tend	der No:			
	TATA MEMORIAL CENTRE			
ADVANCED CENTRE FOR TREATMENT, RESEARCH & EDUCATION IN CANCER				
	· · · · · · · · · · · · · · · · · · ·			
	TECHNICAL SPECIFICATION OF : " Tungston lined Syring	shield - 12 Nos "		
Intended	Use: To minimize the hand exposure from radioactive syringes			
Sr. No.	Name of the Vendor :			
A	Technical Specifications / Scope of supply	COMPLIANCE 1) Mention "Complied /Not Complied" 2) Highlight any deviations. 3) Mention part number/Catalogue number of the relevant item quoted.	Remarks (to provide details)	
В	Name of the Manufacturer :			
	ivanie of the ivialiulacturer:			
С	Country of Origin:			
D	Model Name / Model No. of the Equipment (If the equipment is a combination of more than one equipment then list down the model no. pertaining to each): Year of Introduction Internationally			
	·			
F	Year of Introduction in India			
G	Please quote the latest state of the art model which meets the tender specifications. The offer should be complete in all respect for the intended use.			
Н	Technical Specifications/Scope of supply			
I	" Tungston lined Syring shield", complete as per below mentioned configuration and specifications:	Qty: 12		
J	Features and specifications required:			
1	Compatible for handling therapeutic activity i.e. I-131			
3	2 mm thick Tungsten shielding or please specify Accommodate 3cc, 5cc and 10cc syringes			
4	Lead glass viewing window; please specify thickness			
	T-lock system			
6	Weight; please specify			
7	Performance parameter required as below: (like accuracy, sensitivity, sample volume requirement, resolution or such performance parameters to be highlighted)			
8	Accuracy			
9	Sensitivity			
10	Sample volume requirement			
11	Resolution Standard accessories (Which comes along with the machine, pricing of which is part of the equipment)			
13	Upgradibility capability (List down possible upgrades for the			
14	quoted model) On-Line UPS/Voltage Stabilizer requirements			
15	Periodic Calibration			
16	Regulatory Approvals, If any. Details with copies of approvals.			
17	Safety requirements: It should follow International / national safety requirement. Please specify certification with certifying agency and country with copies of certificate.			
18	The Equipment/ System should comply to US FDA/ European CE/ BIS/ ICMED certification. Please attach copy of the certificate(s).			
19	User's list: A list of installations with the address and contact numbers to be provided. (User list should be for the quoted model.)			

20	Input power supply requirements: 240 V AC ± 10 %, 50 Hz, single		
	phase. Specify if any other power supply requirement is		
	recommended.		
21	After Sales Service Support.		
22	1. Complete operational manuals and technical information including		
	circuit diagrams should be provided.		
	2. Company should provide technical support for hardware and		
	software, spares and consumables.		
	3. Company should provide required spares and consumables for at		
	least 7 years even after discontinuation of the model.		
	4. Bidders who do not qualify this critera shall not be considered.		
	Bidder should provide address of the authorized service centre and		
	details of number of personnel with training credentials.		
23	Preinstallation Requirements :- Provide details of preinstallation		
	requirements, special ambient conditions, if any, space		
	requirement, any other special needs.		
24	Installation, Commissioning, testing and Training		
25	Unpacking and Shifting the consignment to the installation site is to		
	be included in the scope of supply. Bidder/manufacturer/authorized		
	service provider should take responsibility to lift/shift the		
	consignment from unloading site to the installation site . Unloading		
	site shall be "Stores Department, KS Building, ACTREC Campus". If		
	needed, Bidder has to arrange for the labourers at no charge to		
	ACTREC. (Before submitting the quotation, bidders may visit ACTREC		
	to know unloading site and installation site)		
26	Installation,Commissioning and Training is included in the scope of		
	supply. Bidder, Manufacturer and/or its authorized representative		
	should undertake installation and commissioning of the equipment.		
27	Warranty and after sales support		
28	Warranty: 2 years comprehensive-on site- Factory warranty- for		
	entire equipment. All third party major items,		
	accessories/attachment etc. integrated with the system should also		
	cover 2 years -factory warranty from respective manufacturers.		
29	AMC -labour only: For 8 years post warranty		
	, , , , , , , , , , , , , , , , , , , ,		
30	CMC: For 8 years post warranty		
31	Uptime guarantee during warranty period and CMC at minimum of 95%		
22	Important terms to be noted by the hidders:		
32	Important terms to be noted by the bidders: Read the above scope of supply carefully and quote accordingly.	Agree/Not Agree	
,,,	Incomplete and /or partially complete offers are liable to be rejected.	ABICC/ NOT ABICC	
34	Manufacturer/bidder should clearly indicate typical life span / Life	years	
34	expectancy of the quoted equipment.	years	
35	Mention typical site requirements for the installation.		
36	Item/Equipment quoted should not be a second	Agree/Not Agree	
	hand/refurbished/on verge of obsolescence/outdated model.	5, 8.00	
	Similarly, after award of contract, the item supplied should be a		
	newly manufactured item and not the old item already manufactured		
	and stocked for more than 1 month.		
			l .

37	After opening of the Technical bid (Part-1), Physical demonstration of the quoted model may have to be shown / arranged by the bidder, if requested by the Institute. Physical demonstration may be shown at one of the end user's site/Principle company's application lab/manufacturing site located in Mumbai/Navi Mumbai/Thane cities. If there are no installations of the quoted model in Mumbai/Navi Mumbai/Thane cities, then the quoted model may have to be brought in at ACTREC for demo purpose within 10 days from the date of request. Physical Demonstration may be requested to confirm the availability of any or all technical features as mentioned/stated in the technical bid. Physical Demonstration will also be a part of technical evaluation process. If the bidder does not comply, such bids are liable to be disqualified. (Demonstration of quoted model is to be shown and not the demonstration of similar models with different technical specifications and features)	Agree/Not Agree
38	Past experience of the bidders in terms of quality of supplied equipments, after sales service and application support will be taken into consideration while technical evaluation. Bidders who has unsatisfactory past experience in last 2-3 years, in terms of quality of supplied equipments, after sales service and application support, bids of such bidders may liable to be rejected.	Agree/Not Agree
39	Complete and detailed information should be provided in respect to each point specified in the specifications. Technical bids that are incomplete in any respect are liable to be rejected. Provide relevant supportive information, publications, catalogue, etc. Bidders providing misleading or wrong information are liable to be rejected. All technical claims should be printed in the technical brochure of the equipment.	Agree/Not Agree
40	If any contradictory statements /figures/information is observed in the compliance chart and in the technical bid, then the technical information mentioned in the product literature/brochure will be considered true and further evaluation will be done based on the information given in the product literature/brochure. Regarding the warranty and free AMC terms, information quoted in the technical bid will only be taken as valid terms.	Agree/Not Agree
41	Compliance column may be filled with relevant data, figures, range etc. as applicable. Do not just mention "YES / NO / Complied ".	Agree/Not Agree
42	Declaration by the bidder	
43	We have quoted for all the items meeting the description/scope of supply in the Financial bid as per prescribed format of the Tender documents and we agree that Partial/incomplete offers are liable for rejection.	Yes/No